



# Runway Condition Assessment Worksheet

Assess the % coverage of runway contamination for each runway third

**Aerodrome**

**Date/Time (UTC) of assessment (MMDDhhmm)**

**Lower Runway Designator**

°C **Outside Air Temperature**

**Initials**

**< 10% coverage**

NR (No contaminant is reported)  
RWYCC - 6 to be generated for that third.

**≥ 10% - ≤ 25% coverage**

Report contaminant coverage at 25%  
RWYCC - 6 to be generated for that third.

**> 25% coverage**

RWYCC for that third shall be based on the contaminant present & temperature considerations

>25 to ≤50 report coverage as 50%  
>50 to ≤75 report coverage as 75%  
>75 to 100 report coverage as 100%

**NOTE:** RCR not required if all RWY thirds have <10% coverage (unless making a final report to advise the RWY is no longer contaminated)

1st RWY Third				2nd RWY Third				3rd RWY Third			
For coverage 25% or less (≤25%) enter Code 6. For coverage greater than 25% (>25%), follow the steps below				For coverage 25% or less (≤25%) enter Code 6. For coverage greater than 25% (>25%), follow the steps below				For coverage 25% or less (≤25%) enter Code 6. For coverage greater than 25% (>25%), follow the steps below			
- Identify any contaminant that covers more than 25% of the RWY third - Identify % coverage - Identify depth (if applicable) - Identify Runway Condition Code - Record the most restrictive code in the box to the right				- Identify any contaminant that covers more than 25% of the RWY third - Identify % coverage - Identify depth (if applicable) - Identify Runway Condition Code - Record the most restrictive code in the box to the right				- Identify any contaminant that covers more than 25% of the RWY third - Identify % coverage - Identify depth (if applicable) - Identify Runway Condition Code - Record the most restrictive code in the box to the right			
<b>RWYCC</b>				<b>RWYCC</b>				<b>RWYCC</b>			
Dry <input type="text"/> 6	Wet (Damp) <input type="text"/> 5	Frost <input type="text"/> 5	Slippery Wet (Below Min Friction Level Classification) <input type="text"/> 3	Dry <input type="text"/> 6	Wet (Damp) <input type="text"/> 5	Frost <input type="text"/> 5	Slippery Wet (Below Min Friction Level Classification) <input type="text"/> 3	Dry <input type="text"/> 6	Wet (Damp) <input type="text"/> 5	Frost <input type="text"/> 5	Slippery Wet (Below Min Friction Level Classification) <input type="text"/> 3
% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100	
Standing Water/Slush >3mm <input type="text"/> 2	Slush 3mm or less <input type="text"/> 5	Dry or Wet snow >3mm <input type="text"/> 3 3mm or less <input type="text"/> 5	Dry or wet snow on compacted snow <input type="text"/> 3	Standing Water/Slush >3mm <input type="text"/> 2	Slush 3mm or less <input type="text"/> 5	Dry or Wet snow >3mm <input type="text"/> 3 3mm or less <input type="text"/> 5	Dry or wet snow on compacted snow <input type="text"/> 3	Standing Water/Slush >3mm <input type="text"/> 2	Slush 3mm or less <input type="text"/> 5	Dry or Wet snow >3mm <input type="text"/> 3 3mm or less <input type="text"/> 5	Dry or wet snow on compacted snow <input type="text"/> 3
% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100	
Depth: <input type="text"/> 3mm or less <input type="text"/> Assessed depth (mm): <input type="text"/>				Depth: <input type="text"/> 3mm or less <input type="text"/> Assessed depth (mm): <input type="text"/>				Depth: <input type="text"/> 3mm or less <input type="text"/> Assessed depth (mm): <input type="text"/>			
Mark depth only for: Standing Water, Slush, Wet or Dry Snow, Any snow on top of compacted snow				Mark depth only for: Standing Water, Slush, Wet or Dry Snow, Any snow on top of compacted snow				Mark depth only for: Standing Water, Slush, Wet or Dry Snow, Any snow on top of compacted snow			
-15°C or below <input type="text"/> 4		Compacted snow Above -15°C <input type="text"/> 3		-15°C or below <input type="text"/> 4		Compacted snow Above -15°C <input type="text"/> 3		-15°C or below <input type="text"/> 4		Compacted snow Above -15°C <input type="text"/> 3	
% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100	
Ice <input type="text"/> 1		Wet Ice, Water on compacted snow, snow on ice <input type="text"/> 0		Ice <input type="text"/> 1		Wet Ice, Water on compacted snow, snow on ice <input type="text"/> 0		Ice <input type="text"/> 1		Wet Ice, Water on compacted snow, snow on ice <input type="text"/> 0	
% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100		% Cov. 25/50/75/100	

**Situational Awareness Section**

RWY Reduced length LDA ..... m

RWY Drifting snow  RWY Loose sand

RWY Snowbanks L of CL ..... m / R of CL ..... m

TWY Snowbanks L of CL ..... m / R of CL ..... m

Asymm. reduced RWY width R/L ..... m FM CL

TWY ..... Poor

Apron ..... Poor

Other .....

**RWY Treatment Used?** Time Applied: \_\_\_\_\_

Chem. Treatment  Plowed  Swept  Sanded  Scarified

Liquid  Solid

Notes .....

**State approved**

**CFME Braking coefficient**

μ<sub>n</sub> not to be transmitted in RWY Condition Report

**Adjusted RWYCC**

ONLY if Downgrade/ Upgrade Assessments used

Downgrade/ Upgrade Criteria

AIREP  CFME  Other

**RCR**

Aerodrome \_\_\_\_\_ Date & Time \_\_\_\_\_ RWY \_\_\_\_\_ RWYCC \_\_\_\_\_ % Coverage \_\_\_\_\_ Depth in mm \_\_\_\_\_

Contaminant Type 1st third \_\_\_\_\_ Contaminant Type 2nd third \_\_\_\_\_ Contaminant Type 3rd third \_\_\_\_\_

Plain language remarks .....

Reduced RWY width in m (if applicable) \_\_\_\_\_